

RUBIA TIR 8600 CI 15W40



Data sheet

Synthetic based multigrade oil for diesel engines

APPLICATIONS

Provide outstanding performance

Provide reliable performance

- Super premium quality heavy-duty engine oil that provides outstanding performance in the most severe diesel and gasoline engine applications.
- Particularly formulated with advance-technology additives to provide reliable performance in the latest emission designs, including those with EGR systems, as well as satisfying the needs of older engines.

PERFORMANCES

International Specifications

OEM's Specifications

- API CI-4/SL
- ACEA E5/E2/A3/B3
- GOBAL DHD-1
- Cummins CES 20071/2/6/7/20078
- Mack EO-M PLUS
- MAN 271/M3275
- MB 228.3/ 229.1
- Volvo VDS-3

CUSTOMER BENEFITS

Technical performances

- Contributes to the reduction of both fuel consumption and emissions.
- Exceptional high temperature/high shear viscosity for bore-polishing protection and reduced engine scuffing.
- Outstanding control of high temperature deposits and oil oxidation, excellent soot control in both modern and older diesel engines.
- Excellent dispersancy provides outstanding soot control in EGR and non EGR diesel engines.
- The exceptional performance of TOTAL RUBIA TIR 8600 CI 15W40 results not only from the advanced-technology additives but also from the use of synthetic technology base stocks.

CHARACTERISTICS

TOTAL RUBIA TIR 8600 CI	Method	Units	SAE Grade 15W40
Volumetric mass at 15°C	ASTM D1298	kg/m ³	876
Viscosity at 40°C	ASTM D445	mm ² /s	109
Viscosity at 100°C	ASTM D445	mm ² /s	14.5
Viscosity index	ASTM D2270	-	135
Flash point Cleveland	ASTM D92	°C	224
Pour point	ASTM D97	°C	-30
Total Base Number	ASTM D2896	mgKOH/g	10

The typical characteristics mentioned represent mean values.

TOTAL RUBIA TIR 8600 CI 15W40
Version May 2005

This lubricant, when used according to our recommendations and for the purpose for which is intended, presents no particular hazards. A safety data sheet complying with current EC legislation can be obtained from your local commercial adviser.