

# HI PERF 4T GRAND PRIX



## Data sheet

Synthetic technology multigrade oil for 4-stroke motorcycle engines

### APPLICATIONS

High performance 4-stroke engines

- All types of high performance 4-stroke motorcycle engines of all cubic capacities, subject to the most severe conditions of use: racing, city traffic highway.
- Adapted for gear boxes lubrication and oil immersed clutches

### PERFORMANCES

Specifications

- API SL
- ACEA A3-98
- JASO MA

### CUSTOMER BENEFITS

- Synthetic technology engine oil
- Super multi-grade 10W-50
- Very high viscosity index
- Excellent viscosity stability in operation
- Excellent resistance of the oil film at high temperature
- Very high level of detergency and dispersancy.
- Excellent resistance to oxidation
- Very good anti-wear, anticorrosion, antirust and anti-foaming properties
- No risk of destructive pre-ignition

### CHARACTERISTICS

HI PERF 4T GRAND PRIX	Units	SAE Grade 10W-50
Colour	-	Green
Volumetric mass at 15°C	Kg/m <sup>3</sup>	859
Viscosity at 40°C	mm <sup>2</sup> /s	117
Viscosity at 100°C	mm <sup>2</sup> /s	17.0
Viscosity index	-	160
Flash point Cleveland	°C	235
Pour point	°C	-36

The typical characteristics mentioned represent mean values.

HI PERF 4T GRAND PRIX  
14 May 2004

This lubricant, when used according to our recommendations and for the purpose for which is intended, presents no particular hazards. A safety data sheet complying with current EC legislation can be obtained from your local commercial adviser.